

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

LOT # 286 (TINCTURE) // PRODUCED: JUL 28, 2021

CLIENT: CANNEUTICS, LLC // BATCH: PASS



MATRIX: TINCTURE
SAMPLE ID: NAL-210726-001
COLLECTED ON: JUL 26, 2021
RECEIVED ON: JUL 26, 2021
BATCH/SAMPLE SIZE: 70 ML / .86 G
RECEIVED BY: ANDREW PATTERSON
PACKAGE SIZE: 56.69904625 G

CANNABINOID OVERVIEW

Δ⁹-THC:	15.3 %
CBD:	4.00 %
TOTAL CANNABINOIDS:	22.3 %

CULTIVATOR INFO

CULTIVATOR
KEVIN MCALOON
10 SUMMER ST
KENNEBUNK, MAINE 04043

LICENSE
CGR26593
MEDICINAL - CAREGIVER

MANUFACTURER INFO

MANUFACTURER
KEVIN MCALOON
10 SUMMER ST
KENNEBUNK, MAINE 04043

LICENSE
CGR26593
MEDICINAL - CAREGIVER

BATCH RESULT: PASS

POTENCY TESTED
TERPENES TESTED

CAN. 1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: JUL 26, 2021 // ANALYSIS: JUL 27, 2021

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
CBC	0.556 %	5.56 mg/g	5.56 mg/g	0.0104/0.0522	N/A
CBCA	ND	ND	ND	0.0104/0.0522	N/A
CBD	4.00 %	40.0 mg/g	40.0 mg/g	0.0104/0.0522	N/A
CBDA	0.894 %	8.94 mg/g	8.94 mg/g	0.0104/0.0522	N/A
CBDV	ND	ND	ND	0.0104/0.0522	N/A
CBDVA	ND	ND	ND	0.0104/0.0522	N/A
CBG	1.12 %	11.2 mg/g	11.2 mg/g	0.0104/0.0522	N/A
CBGA	0.125 %	1.25 mg/g	1.25 mg/g	0.0104/0.0522	N/A
CBL	ND	ND	ND	0.0104/0.0522	N/A
CBLA	ND	ND	ND	0.0104/0.0522	N/A
CBN	0.189 %	1.89 mg/g	1.89 mg/g	0.0104/0.0522	N/A
CBNA	ND	ND	ND	0.0104/0.0522	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
Δ ⁸ -THC	ND	ND	ND	0.0104/0.0522	N/A
Δ ⁹ -THC	15.3 %	153 mg/g	153 mg/g	0.0104/0.0522	N/A
Δ ¹⁰ -THC	ND	ND	ND	0.0104/0.0522	N/A
EXO-THC	ND	ND	ND	0.0104/0.0522	N/A
THCA	ND	ND	ND	0.0104/0.0522	N/A
THCV	0.164 %	1.64 mg/g	1.64 mg/g	0.0104/0.0522	N/A
THCVA	ND	ND	ND	0.0104/0.0522	N/A
TOTAL THC **	15.3 %	153 mg/g	153 mg/g		N/A
TOTAL CBD **	4.78 %	47.8 mg/g	47.8 mg/g		N/A
CBD/PKG	2270 mg				N/A
Δ⁹-THC/PKG	8670 mg				N/A

** TOTAL THC = (THCA X 0.877) + THC
** TOTAL CBD = (CBDA X 0.877) + CBD
Reported on an as received basis
1000 µg/g = 1 mg/g



RESULTS CERTIFIED BY:
BARRY CHAFFIN
COO, NOVA ANALYTIC LABS
JUL 28, 2021

RESULTS CERTIFIED BY:
GREG NEWLAND
CSO, NOVA ANALYTIC LABS
JUL 28, 2021

RESULTS CERTIFIED BY:
CHRIS ALTOMARE
CEO, NOVA ANALYTIC LABS
JUL 28, 2021

ANALYTE	AMT	AMT	LOD/LOQ	PASS/FAIL
TOTAL TERPENES	0.503 %	5.03 mg/g		N/A
B-CARYOPHYLLENE	0.272 %	2.72 mg/g		N/A
α-HUMULENE	0.0782 %	0.782 mg/g		N/A
LINALOOL	0.0285 %	0.285 mg/g		N/A
CARYOPHYLLENE OXIDE	0.0247 %	0.247 mg/g		N/A
α-BISABOLOL	0.0238 %	0.238 mg/g		N/A
D-LIMONENE	0.0195 %	0.195 mg/g		N/A
TERPINOLENE	0.0194 %	0.194 mg/g		N/A
β-MYRCENE	0.0155 %	0.155 mg/g		N/A
α-TERPINENE	0.00518 %	0.0518 mg/g		N/A
β-PINENE	0.00455 %	0.0455 mg/g		N/A
γ-TERPINENE	0.00436 %	0.0436 mg/g		N/A

ANALYTE	AMT	AMT	LOD/LOQ	PASS/FAIL
α-PINENE	0.00368 %	0.0368 mg/g		N/A
Δ ³ -CARENE	0.00327 %	0.0327 mg/g		N/A
P-CYMENE	ND	ND		N/A
ISOPULEGOL	ND	ND		N/A
CIS-NEROLIDOL	ND	ND		N/A
GERANIOL	ND	ND		N/A
EUCALYPTOL	ND	ND		N/A
CAMPHENE	ND	ND		N/A
β-OCIMENE	ND	ND		N/A
α-OCIMENE	ND	ND		N/A
TRANS-NEROLIDOL	ND	ND		N/A

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

END OF REPORT

